ORIGINAL

LAW OFFICES

LEVENTHAL, SENTER & LERMAN P.L.L.C.

SUITE 600 2000 K STREET, N.W.

Washington, D.C. 20006-1809

ary 7 1999

TELEPHONE (202) 429-8970

TELECOPIER (202) 293-7783

WWW.LSL-LAW.COM

WRITER'S DIRECT DIAL 202-416-6770

WRITER'S DIRECT FAX 202-429-4604

WRITER'S E-MAIL BMADDEN@LSL-LAW.COM

January 7, 1999

VIA HAND DELIVERY

NORMAN P. LEVENTHAL

MEREDITH S. SENTER, JR.

STEVEN ALMAN LERMAN

RAUL R. RODRIGUEZ

DENNIS P. CORBETT

BRIAN M. MADDEN BARBARA K. GARDNER

STEPHEN D. BARUCH SALLY A. BUCKMAN NANCY L. WOLF DAVID S. KEIR

DEBORAH R. COLEMAN NANCY A. ORY WALTER P. JACOB

LINDA D. FELDMANN

ROSS G. GREENBERG JOHN D. POUTASSE

MATTHEW H. BRENNER

CHRISTOPHER J. SOVA PHILIP A. BONOMO

COLIN D. HORST

Ms. Magalie R. Salas Secretary Federal Communications Commission Room 222 1919 M Street, NW Washington, DC 20554

JAN - 7 1999

Parling of the Control of the Contro

Dear Ms. Salas:

On behalf of Sarkes Tarzian, Inc., licensee of Station KTVN(TV), Reno, Nevada, there is transmitted herewith an original and five copies of its *Petition for Rule Making* proposing a substitution of Channel 13 for Channel 32 in the DTV Table of Allotments for use by Station KTVN.

If any additional information is desired in connection with this matter, please contact the undersigned counsel.

Sincerely yours,

Brian M. Madden

BMM/tlm Enclosure

cc: Gordon Godfrey (FCC)

No. of Copies rec'd (List ABCDE

MMB

BEFORE THE

Federal Communications Commission WASHINGTON, D.C. 20554

In the Matter of)		to the state of th
Amendment of Section 73.622(b))	RM	
Table of Allotments, DTV Broadcast Stations (Reno, Nevada))		JAN - 7 1999
To: Chief, Allocations Branch Policy and Rules Division			GOLD COMPLETE COMPLETE STREET COMPLETE.

PETITION FOR RULE MAKING

Mass Media Bureau

Sarkes Tarzian, Inc. ("STI"), licensee of Station KTVN(TV), Reno, Nevada, by its attorneys and pursuant to the provisions of Section 1.401 of the Commission's rules, hereby requests that the Commission institute a rule making proceeding to amend Section 73.622(b), the DTV Table of Allotments, by substituting Channel 13 as the DTV allocation for transitional DTV use by Station KTVN in lieu of Channel 32, as originally allotted.

As shown in the accompanying engineering statement prepared by Bernard R. Segal, P.E. ("Engineering Statement"), Channel 13 may be allotted for DTV use by Station KTVN, operating from Slide Mountain, which is not the location of the presently licensed NTSC facilities of Station KTVN on Channel 2, but is specified as the proposed transmitter site for the operation of Station KTVN-DT in a pending application filed on May 22, 1998 (File No. BPCDT-980522KF). Grant of the channel substitution in the DTV Table of Allotments proposed herein will facilitate the relocation of the DTV transmitting facility for Station KTVN to Slide Mountain and the implementation of a common DTV antenna facility now being contemplated by STI and several other licensees of television stations serving the Reno market.

Upon approval of the changes in the DTV Table of Allotments requested by this petition, STI will amend the pending application to correspond to the new allotment of Channel 13 as the frequency for the DTV operation of Station KTVN.

As noted in the accompanying Engineering Statement, STI's proposal is in full accord with all applicable coverage and allocation criteria set forth in the Commission's rules. The proposed operation on Channel 13 provides full coverage over Reno, Nevada, the community of license of Station KTVN, as required by Section 73.623(c)(1) of the rules. *See Engineering Statement*, p. 2 and Figures 1 and 2. No NTSC station or any DTV station or allotment would receive interference from the DTV operation of Station KTVN on Channel 13 from Slide Mountain which might affect any populated area to an extent which would exceed the standards adopted by the Commission as acceptable *de minimis* interference, as required by Section 73.623(c)(2) of the rules. *Id.* at pp. 3-4 and Figure 3.

Upon the Commission's grant of this petition for modification of the DTV allocation by the substitution of Channel 13 for Channel 32 for DTV use by Station KTVN, STI will promptly amend its pending application specifying the operation of Station KTVN-DT from Slide Mountain, and will adhere to all applicable Commission standards for the timely build out of its DTV facility.

THEREFORE, for the reasons set forth above, a rule making proceeding should be instituted proposing the amendment of Section 73.622(b) of the Commission's rules to

substitute Channel 13 for Channel 32 in the DTV Table of Allotments for use by Station KTVN from Slide Mountain.

Respectfully submitted,

SARKES TARZIAN, INC.

Brian M. Madden

Leventhal, Senter & Lerman, P.L.L.C. 2000 K Street, N.W. Suite 600 Washington, DC 20006-1809 (202) 429-8970

January 7, 1999

Its Attorneys

ENGINEERING STATEMENT PREPARED ON BEHALF OF SARKES TARZIAN, INC. RENO, NEVADA

The instant Engineering Statement has been prepared on behalf of Sarkes Tarzian, Inc., licensee of NTSC television station KTVN, Reno, Nevada. Engineering support is provided for a petition to amend the DTV Table of Allotments, Section 73.622(b) of the Rules. The FCC allotted Ch. 32 for transitional DTV use for NTSC station KTVN. Station KTVN operates on VHF Ch. 2. The instant Engineering Statement provides support for amendment of the DTV Table of Allotments to specify Ch. 13 in lieu of Ch. 32.

The proposed Ch. 13 DTV allotment is for operation from Slide Mountain which is not the location for the current NTSC operation for KTVN. Station KTVN currently operates from McClellan Peak. An application is pending for DTV operation for KTVN from Slide Mountain on the allotted Ch. 32. If the DTV Table of Allotments is modified to reflect Ch. 13 instead of Ch. 32, the pending application will be modified, as appropriate, for consistency with the new Ch. 13 allotment.

Engineering Statement Sarkes Tarzian, Reno, Nevada Page 2

The geographic coordinates for the Slide Mountain location are: 39° 18′ 45″ North Latitude, 119° 53′ 00″ West Longitude. The site elevation is 2,938 meters above mean sea level. The overall antenna and supporting structure height would be 61 meters above ground level. The antenna radiation center will be 49 meters above ground level or 2,987 meters above mean sea level. The antenna radiation center height above average terrain would be 906 meters. The proposed omnidirectional effective radiated power is 12 kW (avg). Terrain elevations from 3.2-16.1 km along the standard eight radials were obtained from the National Geophysical Data Center 30-second database.

In compliance with the requirements of Section 73.623(c), studies are provided which demonstrate that the change in the allotment table, as proposed herein, satisfies the coverage and allocation criteria of the FCC Rules. Figure 1 is map demonstrating the extent of coverage of the 36 dB μ , F(50,90) contour for the proposed allotment. Figure 2 is a tabulation of terrain elevation data and distances to the 36 dB μ , F(50,90) contour for the proposed allotment facilities. Figure 1 demonstrates that the entire community of Reno would be encompassed by the proposed operation in conformance with the requirement of Section 73.625(a).

Bernard R. Segal, P.E. Consulting Engineer Washington, DC

Engineering Statement Sarkes Tarzian, Reno, Nevada Page 3

As to allocation concerns, the study provided herein as Figure 3 demonstrates that no NTSC station and no DTV station or allotment would receive interference from the proposed KTVN-DT, Ch. 13, facility affecting population in excess of the "de minimis" 2% allowable level. Also, in those instances where the proposed KTVN-DT facility would cause interference to any NTSC or DTV station, the cumulative interference will not exceed the maximum allowable of 10%.

The study of Figure 3 was performed using an FCC matched computer analysis taking into account both NTSC and DTV allocation factors. A computer using an ALPHA processor was employed in conjunction with the FCC's FLR software. For each station studied, the reference information from Appendix B of the Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Reports and Orders in MM Docket Number 87-268 is listed in Figure 3 for comparison with the results obtained independently using the ALPHA processor with the FCC's FLR software. The independently determined calculation results are in good agreement with the FCC's Appendix B results.

Bernard R. Segal, P.E. Consulting Engineer Washington, DC

Engineering Statement Sarkes Tarzian, Reno, Nevada Page 4


Two studies were performed. The first study took into account the current Appendix B allotment facilities and provided a reference for comparison with the second study which included the effect of the proposed new Ch. 13 DTV allotment for paired use for KTVN. In no instance would the FCC allowable 2% de minimis interference level be exceeded toward any NTSC station or DTV allotment, and in no instance where the proposed KTVN-DT facility would cause interference, would the maximum cumulative 10% allowable interference limit be exceeded. The proposed allotment satisfies all FCC criteria.

I declare under penalty of perjury that the foregoing is true and correct. Executed on January 5, 1999.

Bernard R. Segal, P.E.

Bemard R. Legel

Figure 1



0 0 20 40 60 80 100 MILES

ENGINEERING STATEMENT PREPARED ON BEHALF OF SARKES TARZIAN, INC. RENO, NEVADA

Tabulation of Average Elevations and
Distances to the DTV Coverage Contour

NAD 27 Site Coordinates: 39° 18′ 45″ North Latitude 119° 53′ 00″ West Longitude

<u>Azimuth</u> (deg. True)	3.2-16.1 km <u>Terrain Average</u> (mAMSL)	Rad. Ctr. Above Terrain Average (m)	Distance to 36 dBµ F(50,90) DTV Coverage Contour (km)
0	2314	673	116.6
1 5*	2001	986	123.7
45	1684	1303	130.0
90	1716	1271	129.4
135	1620	1367	131.1
180	2251	736	118.6
225	2095	892	121.8
270	2486	501	108.5
315	2484	503	108.7
Overall average	2081	906	

^{*} Radial through Reno. The elevation data have not been used in determining the overall averages.

ENGINEERING STATEMENT PREPARED ON BEHALF OF SARKES TARZIAN, INC. RENO, NEVADA

NTSC and DTV Allocation Studies for Proposed KTVN-DT Allotment Ch. 13, 12.0 kW, 906 mAAT

NAD 27 Site Coordinates:

39° 18' 45" North Latitude

119° 53' 00" West Longitude

Antenna Radiation Center: 2987 mAMSL Site Elevation: 2938 mAMSL

A: NTSC Allocation Study

		Appendix B Data		Independent Calculations					
Ch.		Current	Allotted	Current	Noise-	Allott	ed	New Int	erf.
Relation-	Potentially Affected	Service	DTV	Service	Limited	DTV	7	from Pr	op.
<u>_ship*_</u>	NTSC Station	Pop.	<u>Interf.</u>	Pop.	Pop.	Inter	<u>f</u>	KTVN-	DT
		(Thous)	(%)	(Thous)	(Thous)	(Thous)	(%)	(Thous.)	(%)
n-0	KEET, Eureka, CA	120	0.0	120	120	0	0.0	0	0.0
	Ch. 13, 182 kW, 515 m								
n-0	KOVR, Stockton, CA	4.593	0.7	4,455	4.560	67	1.5	64	1.4
	Ch. 13, 316 kW (MAX), 594 m	-,		-,	-,				
n-1	KHSL-TV, Chico, CA	562	0.6	558	566	4	0.7	0	0.0
	Ch. 12, 316 kW, 396 m								

B: DTV Allocation Study

735 m

		Appendix B Data			Independent Calculations				
		_	_	DTV/			DTV/		DTV/NTSC
Ch.		DTV	NTSC	NTSC	DTV	NTSC	NTSC	New Interf.	Pop. Match
Relation-	Potentially Affected	Service	Service	Pop.	Service	Service	Pop.	from Prop.	with Prop.
<u>ship*</u>	DTV Station	Pop.	Pop.	$\underline{\mathbf{Match}}$	Pop.	Pop.	<u>Match</u>	KTVN-DT	KTVN-DT
		(Thous.)	(Thous.)	(%)	(Thous.)	(Thous.)	(%)	(Thous.)	(%)
n-0	Allotment, Salinas, CA	765	760	100	748	740	100	0	100
	Ch. 13, 3.2 kW (MAX-DA),								